

13. 業績目録

- Abdel-Ghani, M.A., Shimizu, T., Asano, T., Suzuki, H., 2012, *In vitro* maturation of canine oocytes co-cultured with bovine and canine granulosa cell monolayers. **Theriogenology** 77, 347-355.
- Aboulaila, M., Munkhjargal, T., Sivakumar, T., Ueno, A., Nakano, Y., Yokoyama, M., Yoshinari, T., Nagano, D., Katayama, K., El-Bahy, N., Yokoyama, N., Igarashi, I., 2012a, Apicoplast-targeting antibacterials inhibit the growth of *Babesia* parasites. **Antimicrob Agents Chemother** 56, 3196-3206.
- AbouLaila, M., Terkawi, M.A., Seuseu, F.J., Ota, N., de Macedo, A.C., Yokoyama, N., Xuan, X., Igarashi, I., 2012b, Expression and immunological characterization of the heat shock protein-70 homologue from *Babesia bigemina*. **Vet Parasitol** 190, 401-410.
- Altangerel, K., Sivakumar, T., Battsetseg, B., Battur, B., Ueno, A., Igarashi, I., Yokoyama, N., 2012, Phylogenetic relationships of Mongolian *Babesia bovis* isolates based on the merozoite surface antigen (MSA)-1, MSA-2b, and MSA-2c genes. **Vet Parasitol** 184, 309-316.
- Angeles, J.M., Goto, Y., Kirinoki, M., Asada, M., Leonardo, L.R., Rivera, P.T., Villacorte, E.A., Inoue, N., Chigusa, Y., Kawazu, S., 2012, Utilization of ELISA using thioredoxin peroxidase-1 and tandem repeat proteins for diagnosis of *Schistosoma japonicum* infection among water buffaloes. **PLoS Negl Trop Dis** 6, e1800.
- Asada, M., Goto, Y., Yahata, K., Yokoyama, N., Kawai, S., Inoue, N., Kaneko, O., Kawazu, S., 2012a, Gliding motility of *Babesia bovis* merozoites visualized by time-lapse video microscopy. **PLoS One** 7, e35227.
- Asada, M., Tanaka, M., Goto, Y., Yokoyama, N., Inoue, N., Kawazu, S., 2012b, Stable expression of green fluorescent protein and targeted disruption of thioredoxin peroxidase-1 gene in *Babesia bovis* with the WR99210/dhfr selection system. **Mol Biochem Parasitol** 181, 162-170.
- Aung, K.M., Boldbaatar, D., Umemiya-Shirafuji, R., Liao, M., Tsuji, N., Xuenan, X., Suzuki, H., Kume, A., Galay, R.L., Tanaka, T., Fujisaki, K., 2012, HISRB, a Class B scavenger receptor, is key to the granulocyte-mediated microbial phagocytosis in ticks. **PLoS One** 7, e33504.

- Badolo, A., Okado, K., Guelbeogo, W.M., Aonuma, H., Bando, H., Fukumoto, S., Sagnon, N., Kanuka, H., 2012, Development of an allele-specific, loop-mediated, isothermal amplification method (AS-LAMP) to detect the L1014F kdr-w mutation in *Anopheles gambiae* s. l. **Malar J** 11, 227.
- Cao, S., Aboge, G.O., Terkawi, M.A., Yu, L., Kamyngkird, K., Luo, Y., Li, Y., Goo, Y.K., Yamagishi, J., Nishikawa, Y., Yokoyama, N., Suzuki, H., Igarashi, I., Maeda, R., Inpankaew, T., Jittapalapong, S., Xuan, X., 2012, Molecular detection and identification of *Babesia bovis* and *Babesia bigemina* in cattle in northern Thailand. **Parasitol Res** 111, 1259-1266.
- Chiou, S.P., Yokoyama, N., Igarashi, I., Kitoh, K., Takashima, Y., 2012, Serum of *Babesia rodhaini* infected mice down regulates catalase activity of healthy erythrocytes. **Exp Parasitol** 132, 327-333.
- Enomoto, M., Kawazu, S., Kawai, S., Furuyama, W., Ikegami, T., Watanabe, J., Mikoshiba, K., 2012, Blockage of spontaneous Ca²⁺ oscillation causes cell death in intraerythrocytic *Plasmodium falciparum*. **PLoS One** 7, e39499.
- Galay, R.L., Maeda, H., Aung, K.M., Umemiya-Shirafuji, R., Xuan, X., Igarashi, I., Tsuji, N., Tanaka, T., Fujisaki, K., 2012, Anti-babesial activity of a potent peptide fragment derived from longicin of *Haemaphysalis longicornis*. **Trop Anim Health Prod** 44, 343-348.
- Goo, Y.K., Aboge, G.O., Terkawi, M.A., Jia, H., Yamagishi, J., Sunaga, F., Namikawa, K., Cha, S.Y., Jang, H.K., Kim, S., Nishikawa, Y., Xuan, X., 2012a, Four promising antigens, BgP32, BgP45, BgP47, and BgP50, for serodiagnosis of *Babesia gibsoni* infection were classified as *B. gibsoni* merozoite surface protein family. **Parasitol Int** 61, 364-368.
- Goo, Y.K., Lee, N., Terkawi, M.A., Luo, Y., Aboge, G.O., Nishikawa, Y., Suzuki, H., Kim, S., Xuan, X., 2012b, Development of a rapid immunochromatographic test using a recombinant thrombospondin-related adhesive protein of *Babesia gibsoni*. **Vet Parasitol** 190, 595-598.
- Hakimi, H., Asada, M., Angeles, J.M., Inoue, N., Kawazu, S., 2012, Cloning and characterization of *Plasmodium vivax* thioredoxin peroxidase-1. **Parasitol Res** 111, 525-529.
- Hayashi, S., Asano, T., Kakizaki, R., Suzuki, H., 2012, Beneficial effect of hyperbaric oxygen therapy on the follicular survival in the mouse ovary after transplantation. **J Reprod Dev** 58, 260-263.

- Hayashida, K., Hara, Y., Abe, T., Yamasaki, C., Toyoda, A., Kosuge, T., Suzuki, Y., Sato, Y., Kawashima, S., Katayama, T., Wakaguri, H., Inoue, N., Homma, K., Tada-Umezaki, M., Yagi, Y., Fujii, Y., Habara, T., Kanehisa, M., Watanabe, H., Ito, K., Gojobori, T., Sugawara, H., Imanishi, T., Weir, W., Gardner, M., Pain, A., Shiels, B., Hattori, M., Nene, V., Sugimoto, C., 2012, Comparative genome analysis of three eukaryotic parasites with differing abilities to transform leukocytes reveals key mediators of *Theileria*-induced leukocyte transformation. **MBio** 3, e00204-00212.
- Hiasa, J., Kohara, J., Nishimura, M., Xuan, X., Tokimitsu, H., Nishikawa, Y., 2012a, ELISAs based on rNcGRA7 and rNcSAG1 antigens as an indicator of *Neospora caninum* activation. **Vet Parasitol** 187, 379-385.
- Hiasa, J., Nishimura, M., Itamoto, K., Xuan, X., Inokuma, H., Nishikawa, Y., 2012b, Enzyme-linked immunosorbent assays based on *Neospora caninum* dense granule protein 7 and profilin for estimating the stage of neosporosis. **Clin Vaccine Immunol** 19, 411-417.
- Hikosaka, K., Tsuji, N., Watanabe, Y., Kishine, H., Horii, T., Igarashi, I., Kita, K., Tanabe, K., 2012, Novel type of linear mitochondrial genomes with dual flip-flop inversion system in apicomplexan parasites, *Babesia microti* and *Babesia rodhaini*. **BMC Genomics** 13, 622.
- Hori, T., Harakawa, S., Herbas, S.M., Ueta, Y.Y., Inoue, N., Suzuki, H., 2012, Effect of 50 Hz electric field in diacylglycerol acyltransferase mRNA expression level and plasma concentration of triacylglycerol, free fatty acid, phospholipid and total cholesterol. **Lipids Health Dis** 11, 68.
- Kameyama, K., Nishimura, M., Punsantsogvoo, M., Ibrahim, H.M., Xuan, X., Furuoka, H., Nishikawa, Y., 2012, Immunological characterization of *Neospora caninum* cyclophilin. **Parasitology** 139, 294-301.
- Kimura, A., Nishikawa, H., Nomura, N., Mitsuyama, J., Fukumoto, S., Inoue, N., Kawazu, S., 2012, *In vitro* and *in vivo* antimalarial activities of T-2307, a novel arylamidine. **Antimicrob Agents Chemother** 56, 2191-2193.
- Kumar, S., Yokoyama, N., Kim, J.Y., Bork-Mimm, S., Inoue, N., Xuan, X., Igarashi, I., Sugimoto, C., 2012, *Theileria equi* merozoite antigen-2 interacts with actin molecule of equine erythrocyte during their asexual development. **Exp Parasitol** 132, 508-512.
- Li, Y., Terkawi, M.A., Nishikawa, Y., Aboge, G.O., Luo, Y., Ooka, H., Goo, Y.K., Yu, L., Cao, S., Sun, Y., Yamagishi, J., Masatani, T., Yokoyama, N., Igarashi, I., Xuan, X., 2012, Macrophages are critical for cross-protective

- immunity conferred by *Babesia microti* against *Babesia rodhaini* infection in mice. **Infect Immun** 80, 311-320.
- Luo, Y., Terkawi, M.A., Jia, H., Aboge, G.O., Goo, Y.K., Cao, S., Li, Y., Yu, L., Ooka, H., Kamyngkird, K., Masatani, T., Zhang, S., Nishikawa, Y., Igarashi, I., Xuan, X., 2012, A double antibody sandwich enzyme-linked immunosorbent assay for detection of secreted antigen 1 of *Babesia microti* using hamster model. **Exp Parasitol** 130, 178-182.
- Masuda-Suganuma, H., Usui, M., Fukumoto, S., Inoue, N., Kawazu, S., 2012, Mitochondrial peroxidase TPx-2 is not essential in the blood and insect stages of *Plasmodium berghei*. **Parasit Vectors** 5, 252.
- Mekata, H., Konnai, S., Mingala, C.N., Abes, N.S., Gutierrez, C.A., Dargantes, A.P., Witola, W.H., Inoue, N., Onuma, M., Murata, S., Ohashi, K., 2012, Kinetics of regulatory dendritic cells in inflammatory responses during *Trypanosoma evansi* infection. **Parasite Immunol** 34, 318-329.
- Munkhjargal, T., Aboulaila, M., Terkawi, M.A., Sivakumar, T., Ichikawa, M., Davaasuren, B., Nyamjargal, T., Yokoyama, N., Igarashi, I., 2012a, Inhibitory effects of pepstatin A and mefloquine on the growth of *Babesia* parasites. **Am J Trop Med Hyg** 87, 681-688.
- Munkhjargal, T., Aboulaila, M., Ueno, A., Sivakumar, T., Nakano, Y., Yokoyama, M., Yokoyama, N., Igarashi, I., 2012b, Cloning and characterization of histone deacetylase from *Babesia bovis*. **Vet Parasitol** 190, 423-433.
- Ooka, H., Terkawi, M.A., Cao, S., Aboge, G., Goo, Y.K., Luo, Y., Li, Y., Nishikawa, Y., Igarashi, I., Xuan, X., 2012, Molecular and immunological characterization of a novel 32-kDa secreted protein of *Babesia microti*. **J Parasitol** 98, 1045-1048.
- Shimamoto, Y., Sasaki, M., Ikadai, H., Ishizuka, M., Yokoyama, N., Igarashi, I., Hoshi, F., Kitamura, H., 2012, Downregulation of hepatic cytochrome P450 3A in mice infected with *Babesia microti*. **J Vet Med Sci** 74, 241-245.
- Sivakumar, T., Altangerel, K., Battsetseg, B., Battur, B., Aboulaila, M., Munkhjargal, T., Yoshinari, T., Yokoyama, N., Igarashi, I., 2012a, Genetic detection of *Babesia bigemina* from Mongolian cattle using apical membrane antigen-1 gene-based PCR assay. **Vet Parasitol** 187, 17-22.
- Sivakumar, T., Kothalawala, H., Abeyratne, S.A., Vimalakumar, S.C., Meewewa, A.S., Hadirampela, D.T., Puvirajan, T., Sukumar, S., Kuleswarakumar, K., Chandrasiri, A.D., Igarashi, I., Yokoyama, N., 2012b, A PCR-based

- survey of selected *Babesia* and *Theileria* parasites in cattle in Sri Lanka. **Vet Parasitol** 190, 263-267.
- Sivakumar, T., Tagawa, M., Yoshinari, T., Ybanez, A.P., Igarashi, I., Ikehara, Y., Hata, H., Kondo, S., Matsumoto, K., Inokuma, H., Yokoyama, N., 2012c, PCR detection of *Babesia ovata* from cattle reared in Japan and clinical significance of coinfection with *Theileria orientalis*. **J Clin Microbiol** 50, 2111-2113.
- Suganuma, K., Yamasaki, S., Asada, M., Kawazu, S., Inoue, N., 2012, The epimastigote stage-specific gene expression of CESP is tightly regulated by its 3' UTR. *Mol Biochem Parasitol* 186, 77-80.
- Suzuki, H., 2012, Cryopreservation of canine embryos and resulting pregnancies. **Reprod Domest Anim** 47 Suppl 6, 141-143.
- Tagawa, M., Takeuchi, T., Fujisawa, T., Konno, Y., Yamamoto, S., Matsumoto, K., Yokoyama, N., Inokuma, H., 2012a, A clinical case of severe anemia in a sheep coinfecting with *Mycoplasma ovis* and 'Candidatus *Mycoplasma haemovis*' in Hokkaido, Japan. **J Vet Med Sci** 74, 99-102.
- Tagawa, M., Ybanez, A.P., Matsumoto, K., Yokoyama, N., Inokuma, H., 2012b, Prevalence and risk factor analysis of bovine hemoplasma infection by direct PCR in Eastern Hokkaido, Japan. **J Vet Med Sci** 74, 1171-1176.
- Tanaka, T., Maeda, H., Matsuo, T., Boldbattar, D., Umemiya-Shirafuji, R., Kume, A., Suzuki, H., Xuan, X., Tsuji, N., Fujisaki, K., 2012, Parasiticidal activity of *Haemaphysalis longicornis* longicin P4 peptide against *Toxoplasma gondii*. **Peptides** 34, 242-250.
- Terkawi, M.A., Alhasan, H., Huyen, N.X., Sabagh, A., Awier, K., Cao, S., Goo, Y.K., Aboqe, G., Yokoyama, N., Nishikawa, Y., Kalb-Allouz, A.K., Tabbaa, D., Igarashi, I., Xuan, X., 2012a, Molecular and serological prevalence of *Babesia bovis* and *Babesia bigemina* in cattle from central region of Syria. **Vet Parasitol** 187, 307-311.
- Terkawi, M.A., Alhasan, H., Ueno, A., Ratthanophart, J., Luo, Y., Cao, S., Kamyngkird, K., Aboulaila, M., Youn-Kyoung, G., Nishikawa, Y., Yokoyama, N., Xuan, X., Igarashi, I., 2012b, C-Terminal region of 48-kDa rhoptry protein for serological detection of *Babesia caballi* antibodies in horses. **Parasitol Int** 61, 493-496.
- Thuy, N.T., Goto, Y., Lun, Z.R., Kawazu, S., Inoue, N., 2012, Tandem repeat protein as potential diagnostic antigen for *Trypanosoma evansi* infection. **Parasitol Res** 110, 733-739.

- Umemiya-Shirafuji, R., Boldbaatar, D., Liao, M., Battur, B., Rahman, M.M., Kuboki, T., Galay, R.L., Tanaka, T., Fujisaki, K., 2012, Target of rapamycin (TOR) controls vitellogenesis via activation of the S6 kinase in the fat body of the tick, *Haemaphysalis longicornis*. **Int J Parasitol** 42, 991-998.
- Yamagishi, J., Watanabe, J., Goo, Y.K., Masatani, T., Suzuki, Y., Xuan, X., 2012, Characterization of *Toxoplasma gondii* 5' UTR with encyclopedic TSS information. **J Parasitol** 98, 445-447.
- Ybanez, A.P., Matsumoto, K., Kishimoto, T., Yokoyama, N., Inokuma, H., 2012, Dual presence of *Anaplasma phagocytophilum* and its closely related *Anaplasma* sp. in ixodid ticks in Hokkaido, Japan, and their specific molecular detection. **J Vet Med Sci** 74, 1551-1560.
- Yokoyama, N., Sivakumar, T., Ota, N., Igarashi, I., Nakamura, Y., Yamashina, H., Matsui, S., Fukumoto, N., Hata, H., Kondo, S., Oshiro, M., Zakimi, S., Kuroda, Y., Kojima, N., Matsumoto, K., Inokuma, H., 2012, Genetic diversity of *Theileria orientalis* in tick vectors detected in Hokkaido and Okinawa, Japan. **Infect Genet Evol** 12, 1669-1675.
- Yu, L., Yamagishi, J., Zhang, S., Jin, C., Aboge, G.O., Zhang, H., Zhang, G., Tanaka, T., Fujisaki, K., Nishikawa, Y., Xuan, X., 2012, Protective effect of a prime-boost strategy with plasmid DNA followed by recombinant adenovirus expressing TgAMA1 as vaccines against *Toxoplasma gondii* infection in mice. **Parasitol Int** 61, 481-486.