受理年月日	受理番号

For administrative use only

## NRCPD-OUAVM Joint Research Report

Date: <u>May 30<sup>th</sup>, 2018</u>
Project no: <u>29-10</u>

1. Principal investigator

Name: Haiyan Gong

Position: Associated Professor

Affiliation: Shanghai Veterinary Research Institute, Chinese Academy of Agricultural

Sciences

- 2. Project title: RNA interference of Serpins in Soft tick *Ornithodoros moubata* to reveal the molecules associated with serpins function
- 3. Collaborating research group members at NRCPD

Name: Rika Shirafuji

Position: Assistant Professor

4. Research period (in mm/dd/yyyy, and total number of years)

April 1, 2017 - March 31, 2018, one year

- 5. Purposes and objectives
- (1). To obtain the serpin gene of O. moubata.
- (2). To investigate the role of serpins on the feeding and production of O.moubata.
- 6. Outline of research process
- (1) Isolate serpin molecule form the O.moubata;
- (2) Analyze the sequence;
- (3) Synthetize the dsRNA of serpin gene and controls (luciferase)
- (4) Investigate the impact of serpin silence on the tick feeding and oviposition.

受理年月日	受理番号

For administrative use only

## 7. Outline of research achievements

- (1) The serpin gene of *O. moubata* encoded a protein of 424 amino acids, containing a signal peptide of 20 amino acids and a serpin domain (73- 423 aa) (Fig.1), and the mature protein has a molecular size of 44.5 kDa. The protein has a high homolog (65%) to that from another kind of soft tick *Argas monolakensis* [ABI52767] but a low homology to that from hard ticks (35 % to that of *Amblyomma americanum* [ABS87362]) (Fig. 2)
- (2) Interference of serpin (Fig. 3) in the adult ticks affected the attachment rate (83% in control group VS 64% in tested group), but didn't affect the engorged body weight (0.25046±0.02381g in control group VS 0.26877±0.02451 g in tested group, P>0.05 by student's t-test) nor the oviposition (100% in both groups).
- 8. Publication of research achievements
  The paper is under writing for publication.


Attach reference materials as necessary.

(1) Figure 1 Domain of serpin from O. moubata






## (2) Figure 2 The phylogenetic tree of serpin from *O. moubata*



## (3) Figure 3 Synthesis of dsRNA



Lines 1 and 2, dsRNA of luciferase; lines 3 and 4, dsRNA of serpin