



Hernandez EP, Kusakisako K, Talactac MR, Galay RL, Hatta T, Matsuo T, Fujisaki K, Tsuji N, Tanaka T. Characterization and expression analysis of a newly identified glutathione S-transferase of the hard tick *Haemaphysalis longicornis* during blood-feeding. *Parasit Vectors*. 2018 Feb 8; 11(1): 91. <https://doi.org/10.1186/s13071-018-2667-1> PMID: 29422079; PMCID: PMC5806375.

Talactac MR, Yada Y, Yoshii K, Hernandez EP, Kusakisako K, Maeda H, Galay RL, Fujisaki K, Mochizuki M, Tanaka T. Characterization and antiviral activity of a newly identified defensin-like peptide, HEdefensin, in the hard tick *Haemaphysalis longicornis*. *Dev Comp Immunol*. 2017 Mar; 68: 98-107. <https://doi.org/10.1016/j.dci.2016.11.013> Epub 2016 Nov 18. PMID: 27871830.

Maeda H, Miyata T, Kusakisako K, Galay RL, Talactac MR, Umemiya-Shirafuji R, Mochizuki M, Fujisaki K, Tanaka T. A novel C-type lectin with triple carbohydrate recognition domains has critical roles for the hard tick *Haemaphysalis longicornis* against Gram-negative bacteria. *Dev Comp Immunol*. 2016 Apr; 57: 38-47. <https://doi.org/10.1016/j.dci.2015.12.015> Epub 2015 Dec 25. PMID: 26724379.

Kusakisako K, Masatani T, Miyata T, Galay RL, Maeda H, Talactac MR, Tsuji N, Mochizuki M, Fujisaki K, Tanaka T. Functional analysis of recombinant 2-Cys peroxiredoxin from the hard tick *Haemaphysalis longicornis*. *Insect Mol Biol*. 2016 Feb; 25(1): 16-23. <https://doi.org/10.1111/imb.12193> Epub 2015 Oct 16. PMID: 26471013.



Takechi R, Galay RL, Matsuo T, Maeda H, Kusakisako K, Talactac MR, Mochizuki M, Fujisaki K, Tanaka T. Role of the tumor necrosis factor receptor-associated factor-type zinc finger domain containing protein 1 (TRAFD1) from the hard tick *Haemaphysalis longicornis* in immunity against bacterial infection. *Ticks Tick Borne Dis.* 2016 Feb; 7(1): 36-45.

<https://doi.org/10.1016/j.ttbdis.2015.08.002> Epub 2015 Aug 7. PMID: 26283173.

Galay RL, Aung KM, Umemiya-Shirafuji R, Maeda H, Matsuo T, Kawaguchi H, Miyoshi N, Suzuki H, Xuan X, Mochizuki M, Fujisaki K, Tanaka T. Multiple ferritins are vital to successful blood feeding and reproduction of the hard tick *Haemaphysalis longicornis*. *J Exp Biol.* 2013 May 15; 216(Pt 10): 1905-15. <https://doi.org/10.1242/jeb.081240> Epub 2013 Feb 7. PMID: 23393286.

Alim MA, Islam MK, Anisuzzaman, Miyoshi T, Hatta T, Yamaji K, Matsubayashi M, Fujisaki K, Tsuji N. A hemocyte-derived Kunitz-BPTI-type chymotrypsin inhibitor, HlChI, from the ixodid tick *Haemaphysalis longicornis*, plays regulatory functions in tick blood-feeding processes. *Insect Biochem Mol Biol.* 2012 Dec; 42(12): 925-34. <https://doi.org/10.1016/j.ibmb.2012.09.005> Epub 2012 Sep 24. PMID: 23017545.

Umemiya-Shirafuji R, Tanaka T, Boldbaatar D, Tanaka T, Fujisaki K. *Akt* is an essential player in regulating cell/organ growth at the adult stage in the hard tick *Haemaphysalis longicornis*. *Insect Biochem Mol Biol.* 2012 Mar; 42(3): 164-73. <https://doi.org/10.1016/j.ibmb.2011.12.001> Epub 2011 Dec 14. PMID: 22193391.

Kawano S, Umemiya-Shirafuji R, Boldbaatar D, Matsuoka K, Tanaka T, Fujisaki K. Cloning and characterization of the autophagy-related gene 6 from the hard tick, *Haemaphysalis*



*longicornis*. Parasitol Res. 2011 Nov; 109(5): 1341-9. <https://doi.org/10.1007/s00436-011-2429-x> Epub 2011 May 3. PMID: 21537978.

Aung KM, Boldbaatar D, Liao M, Umemiya-Shirafuji R, Nakao S, Matsuoka T, Tanaka T, Fujisaki K. Identification and characterization of class B scavenger receptor CD36 from the hard tick, *Haemaphysalis longicornis*. Parasitol Res. 2011 Feb; 108(2): 273-85.

<https://doi.org/10.1007/s00436-010-2053-1> Epub 2010 Sep 25. PMID: 20872015.

Tanaka T, Kawano S, Nakao S, Umemiya-Shirafuji R, Rahman MM, Boldbaatar D, Battur B, Liao M, Fujisaki K. The identification and characterization of lysozyme from the hard tick *Haemaphysalis longicornis*. Ticks Tick Borne Dis. 2010 Dec; 1(4): 178-85.

<https://doi.org/10.1016/j.ttbdis.2010.09.001> Epub 2010 Nov 2. PMID: 21771526.

Boldbaatar D, Umemiya-Shirafuji R, Liao M, Tanaka T, Xuan X, Fujisaki K. Multiple vitellogenins from the *Haemaphysalis longicornis* tick are crucial for ovarian development. J Insect Physiol. 2010 Nov; 56(11): 1587-98. <https://doi.org/10.1016/j.jinsphys.2010.05.019> Epub 2010 Jun 4. PMID: 20576517.

Zhou J, Liao M, Gong H, Xuan X, Fujisaki K. Characterization of Hlcyst-3 as a member of cystatins from the tick *Haemaphysalis longicornis*. Exp Appl Acarol. 2010 Aug; 51(4): 327-33. <https://doi.org/10.1007/s10493-010-9336-1> Epub 2010 Jan 27. PMID: 20107871.

Anisuzzaman, Islam MK, Miyoshi T, Alim MA, Hatta T, Yamaji K, Matsumoto Y, Fujisaki K, Tsuji N. Longistatin, a novel EF-hand protein from the ixodid tick *Haemaphysalis longicornis*, is required



for acquisition of host blood-meals. *Int J Parasitol.* 2010 May; 40(6): 721-9.

<https://doi.org/10.1016/j.ijpara.2009.11.004> Epub 2009 Dec 5. PMID: 19968997.

Umemiya-Shirafuji R, Matsuo T, Liao M, Boldbaatar D, Battur B, Suzuki H, Fujisaki K. Increased expression of *ATG* genes during nonfeeding periods in the tick *Haemaphysalis longicornis*.

*Autophagy.* 2010 May; 6(4): 473-81. <https://doi.org/10.4161/auto.6.4.11668> Epub 2010 May 16. PMID: 20404490.

Miyoshi T, Tsuji N, Islam MK, Alim MA, Hatta T, Yamaji K, Anisuzzaman, Fujisaki K. A Kunitz-type proteinase inhibitor from the midgut of the ixodid tick, *Haemaphysalis longicornis*, and its endogenous target serine proteinase. *Mol Biochem Parasitol.* 2010 Apr; 170(2): 112-5.

<https://doi.org/10.1016/j.molbiopara.2009.12.005> Epub 2009 Dec 21. PMID: 20026198.

Boldbaatar D, Battur B, Umemiya-Shirafuji R, Liao M, Tanaka T, Fujisaki K. GATA transcription, translation and regulation in *Haemaphysalis longicornis* tick: analysis of the cDNA and an essential role for vitellogenesis. *Insect Biochem Mol Biol.* 2010 Jan; 40(1): 49-57.

<https://doi.org/10.1016/j.ibmb.2009.12.009> Epub 2009 Dec 28. PMID: 20040373.

Yamaji K, Tsuji N, Miyoshi T, Islam MK, Hatta T, Alim MA, Anisuzzaman M, Kushibiki S, Fujisaki K. A salivary cystatin, HISC-1, from the ixodid tick *Haemaphysalis longicornis* play roles in the blood-feeding processes. *Parasitol Res.* 2009 Dec; 106(1): 61-8.

<https://doi.org/10.1007/s00436-009-1626-3> Epub 2009 Sep 25. PMID: 19779741.

Battur B, Boldbaatar D, Umemiya-Shirafuji R, Liao M, Battsetseg B, Taylor D, Baymbaa B, Fujisaki K. LKR/SDH plays important roles throughout the tick life cycle including a long starvation



period. PLoS One. 2009 Sep 23; 4(9): e7136. <https://doi.org/10.1371/journal.pone.0007136>

PMID: 19774086; PMCID: PMC2745569.

Battsetseg B, Boldbaatar D, Battur B, Xuan X, Fujisaki K. Cloning and molecular characterization of tick kynurenine aminotransferase (HIKAT) from *Haemaphysalis longicornis* (Acari: Ixodidae).

Parasitol Res. 2009 Sep; 105(3): 669-79. <https://doi.org/10.1007/s00436-009-1439-4> Epub 2009 Apr 21. PMID: 19381689.

Yamaji K, Tsuji N, Miyoshi T, Islam MK, Hatta T, Alim MA, Anisuzzaman, Takenaka A, Fujisaki K. Hemoglobinase activity of a cysteine protease from the ixodid tick *Haemaphysalis longicornis*.

Parasitol Int. 2009 Sep; 58(3): 232-7. <https://doi.org/10.1016/j.parint.2009.05.003> Epub 2009 May 13. PMID: 19446040.

Islam MK, Tsuji N, Miyoshi T, Alim MA, Huang X, Hatta T, Fujisaki K. The Kunitz-like modulatory protein haemangin is vital for hard tick blood-feeding success. PLoS Pathog. 2009 Jul; 5(7):

e1000497. <https://doi.org/10.1371/journal.ppat.1000497> Epub 2009 Jul 10. PMID: 19593376; PMCID: PMC2701603.

Gong H, Umemiya R, Zhou J, Liao M, Zhang H, Jia H, Nishikawa Y, Xuan X, Fujisaki K. Blocking the secretion of saliva by silencing the *HIYkt6* gene in the tick *Haemaphysalis longicornis*. Insect

Biochem Mol Biol. 2009 May-Jun; 39(5-6): 372-81. <https://doi.org/10.1016/j.ibmb.2009.03.002> Epub 2009 Mar 27. PMID: 19328851.

Zhou J, Liao M, Ueda M, Gong H, Xuan X, Fujisaki K. Characterization of an intracellular cystatin homolog from the tick *Haemaphysalis longicornis*. *Vet Parasitol*. 2009 Mar 9; 160(1-2): 180-3.

<https://doi.org/10.1016/j.vetpar.2008.10.086> Epub 2008 Oct 28. PMID: 19091470.

Liao M, Zhou J, Gong H, Boldbaatar D, Shirafuji R, Battur B, Nishikawa Y, Fujisaki K. Hemalin, a thrombin inhibitor isolated from a midgut cDNA library from the hard tick *Haemaphysalis longicornis*. *J Insect Physiol*. 2009 Feb; 55(2): 164-73.

<https://doi.org/10.1016/j.jinsphys.2008.11.004> Epub 2008 Dec 25. PMID: 19061894.

Miyoshi T, Tsuji N, Islam MK, Alim MA, Hatta T, Huang X, Fujisaki K. A set of serine proteinase paralogs are required for blood-digestion in the ixodid tick *Haemaphysalis longicornis*. *Parasitol Int*. 2008 Dec; 57(4): 499-505. <https://doi.org/10.1016/j.parint.2008.08.003> Epub 2008 Aug 16.

PMID: 18775510.

Boldbaatar D, Battsetseg B, Matsuo T, Hatta T, Umemiya-Shirafuji R, Xuan X, Fujisaki K. Tick vitellogenin receptor reveals critical role in oocyte development and transovarial transmission of *Babesia* parasite. *Biochem Cell Biol*. 2008 Aug; 86(4): 331-44. <https://doi.org/10.1139/O08-071> PMID: 18756328.

Boldbaatar D, Kilonzo RM, Battur B, Umemiya R, Liao M, Tanaka T, Xuan X, Fujisaki K.

Identification of two forms of cyclophilin from the hard tick *Haemaphysalis longicornis*. *Process Biochem*. 2008; 43(6): 615-25. <https://doi.org/10.1016/j.procbio.2008.01.026>

Alim MA, Tsuji N, Miyoshi T, Islam MK, Huang X, Hatta T, Fujisaki K. HILgm2, a member of asparaginyl endopeptidases/legumains in the midgut of the ixodid tick *Haemaphysalis*



*longicornis*, is involved in blood-meal digestion. J Insect Physiol. 2008 Mar; 54(3): 573-85.

<https://doi.org/10.1016/j.jinsphys.2007.12.006> Epub 2007 Dec 23. PMID: 18222467.

Gong H, Liao M, Zhou J, Hatta T, Huang P, Zhang G, Kanuka H, Nishikawa Y, Xuan X, Fujisaki K.

Gene silencing of ribosomal protein P0 is lethal to the tick *Haemaphysalis longicornis*. Vet

Parasitol. 2008 Feb 14; 151(2-4): 268-78. <https://doi.org/10.1016/j.vetpar.2007.11.015> Epub

2007 Nov 19. PMID: 18155838.

Gong H, Zhou J, Liao M, Hatta T, Harnnoi T, Umemiya R, Inoue N, Xuan X, Fujisaki K.

Characterization of a carboxypeptidase inhibitor from the tick *Haemaphysalis longicornis*. J

Insect Physiol. 2007 Oct; 53(10): 1079-87. <https://doi.org/10.1016/j.jinsphys.2007.06.008> Epub

2007 Jun 20. PMID: 17651749.

Abdul Alim M, Tsuji N, Miyoshi T, Khyrul Islam M, Huang X, Motobu M, Fujisaki K.

Characterization of asparaginyl endopeptidase, legumain induced by blood feeding in the ixodid

tick *Haemaphysalis longicornis*. Insect Biochem Mol Biol. 2007 Sep; 37(9): 911-22.

<https://doi.org/10.1016/j.ibmb.2007.04.010> Epub 2007 May 6. PMID: 17681230.

Umemiya R, Matsuo T, Hatta T, Sakakibara S, Boldbaatar D, Fujisaki K. Cloning and

characterization of an autophagy-related gene, *ATG12*, from the three-host tick *Haemaphysalis*

*longicornis*. Insect Biochem Mol Biol. 2007 Sep; 37(9): 975-84.

<https://doi.org/10.1016/j.ibmb.2007.05.006> Epub 2007 May 18. PMID: 17681237.

Tsuji N, Battsetseg B, Boldbaatar D, Miyoshi T, Xuan X, Oliver JH Jr, Fujisaki K. Babesial vector

tick defensin against *Babesia* sp. parasites. Infect Immun. 2007 Jul; 75(7): 3633-40.



<https://doi.org/10.1128/IAI.00256-07> Epub 2007 May 7. PMID: 17485458; PMCID:

PMC1932947.

Motobu M, Tsuji N, Miyoshi T, Huang X, Islam MK, Alim MA, Fujisaki K. Molecular characterization of a blood-induced serine carboxypeptidase from the ixodid tick

*Haemaphysalis longicornis*. FEBS J. 2007 Jul; 274(13): 3299-312. <https://doi.org/10.1111/j.1742-4658.2007.05852.x> Epub 2007 Jun 3. PMID: 17542992.

Liao M, Hatta T, Umemiya R, Huang P, Jia H, Gong H, Zhou J, Nishikawa Y, Xuan X, Fujisaki K. Identification of three protein disulfide isomerase members from *Haemaphysalis longicornis* tick. Insect Biochem Mol Biol. 2007 Jul; 37(7): 641-54.

<https://doi.org/10.1016/j.ibmb.2007.03.015> Epub 2007 Apr 5. PMID: 17550821.

Zhou J, Liao M, Ueda M, Gong H, Xuan X, Fujisaki K. Sequence characterization and expression patterns of two defensin-like antimicrobial peptides from the tick *Haemaphysalis longicornis*. Peptides. 2007 Jun; 28(6): 1304-10. <https://doi.org/10.1016/j.peptides.2007.04.019> Epub 2007 May 6. PMID: 17521774.

Liao M, Zhou J, Hatta T, Umemiya R, Miyoshi T, Tsuji N, Xuan X, Fujisaki K. Molecular characterization of *Rhipicephalus (Boophilus) microplus* Bm86 homologue from *Haemaphysalis longicornis* ticks. Vet Parasitol. 2007 May 15; 146(1-2): 148-57.

<https://doi.org/10.1016/j.vetpar.2007.01.015> Epub 2007 Mar 23. PMID: 17363170.

Umemiya R, Hatta T, Liao M, Tanaka M, Zhou J, Inoue N, Fujisaki K. *Haemaphysalis longicornis*: molecular characterization of a homologue of the macrophage migration inhibitory factor from





the partially fed ticks. *Exp Parasitol.* 2007 Feb; 115(2): 135-42.

<https://doi.org/10.1016/j.exppara.2006.07.006> Epub 2006 Sep 20. PMID: 16987517.

Tanaka M, Liao M, Zhou J, Nishikawa Y, Xuan X, Fujisaki K. Molecular cloning of two caspase-like genes from the hard tick *Haemaphysalis longicornis*. *J Vet Med Sci.* 2007 Jan; 69(1): 85-90.

<https://doi.org/10.1292/jvms.69.85> PMID: 17283408.

Zhou J, Ueda M, Umemiya R, Battsetseg B, Boldbaatar D, Xuan X, Fujisaki K. A secreted cystatin from the tick *Haemaphysalis longicornis* and its distinct expression patterns in relation to innate immunity. *Insect Biochem Mol Biol.* 2006 Jul; 36(7): 527-35.

<https://doi.org/10.1016/j.ibmb.2006.03.003> Epub 2006 Mar 27. PMID: 16835018.

Zhou J, Liao M, Hatta T, Tanaka M, Xuan X, Fujisaki K. Identification of a follistatin-related protein from the tick *Haemaphysalis longicornis* and its effect on tick oviposition. *Gene.* 2006

May 10; 372: 191-8. <https://doi.org/10.1016/j.gene.2005.12.020> Epub 2006 Mar 6. PMID: 16517100.

Boldbaatar D, Sikalizyo Sikasunge C, Battsetseg B, Xuan X, Fujisaki K. Molecular cloning and functional characterization of an aspartic protease from the hard tick *Haemaphysalis longicornis*. *Insect Biochem Mol Biol.* 2006 Jan; 36(1): 25-36.

<https://doi.org/10.1016/j.ibmb.2005.10.003> Epub 2005 Nov 8. PMID: 16360947.